



GENERAL NOTES

1. For reinforcement details, see Standard Drawing 609-RCBA-03 for square RCBA's and Standard Drawing 609-RCBA-04 for skewed RCBA's.
- 2 Terminal joint elevation shall match elevation of adjacent PCCP and RCBA.
- 3 Depth d_A must equal d_p . However, if d_p is less than 12 in., d_A must be 12 in.
- 4 Limits of polyethylene bond breaker.
5. All reinforcing bars in the reinforced concrete bridge approach shall be epoxy coated.



TERMINAL JOINT FOR PCCP AT BRIDGE STRUCTURE




SECTION A-A

INDIANA DEPARTMENT OF TRANSPORTATION

REINFORCED CONCRETE BRIDGE APPROACH AND TERMINAL JOINT FOR USE WITH PCCP MARCH 2004

STANDARD DRAWING NO. E 609-RCBA-02



/s/ Richard L. VanCleave 3-01-04
DESIGN STANDARDS ENGINEER DATE

/s/ Richard K. Smutzer 3-01-04
CHIEF HIGHWAY ENGINEER DATE

DESIGN STANDARDS ENGINEER